

Searching for PHRASE **print server printer driver install computer client 1999**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. Only retrieving 125 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

[A Protection Scheme for a CORBA Environment - Hagimont, Huet, Mossière \(1997\)](#) (Correct) (1 citation)
enough access rights to use the reference. **Client Print server printer object file_capa file object**
separate protected layer (one or several protected **servers**)and by providing application designers and
rights to use the reference. **Client Print server printer object file_capa file object file_capa 2 1**
sirac.imag.fr/PUB/97/97-ecoop-wkshp-PUB.ps.gz

[Using Events to Build Large Scale Distributed Applications - Hayton, Bacon, Bates, Moody](#) (Correct) (6 citations)
the two domains. For example the interface to a **print server** is: **Printer: INTERFACE =BEGIN Print :**
interest in specified classes of events, and **servers** then notify them of any occurrence
For example the interface to a **print server** is: **Printer: INTERFACE =BEGIN Print :OPERATION [file :**
ftp.cl.cam.ac.uk/opsr/sigops-ew96-events.ps.gz

[A Comparison of Type Enforcement and Unix Setuid.. - Thomsen Haigh \(1990\)](#) (Correct) (6 citations)
the TCSEC requirement of ensuring all documents are printed with the proper label [3]The labeler subject
paginates, and la bels a user document and the **printer driver** buffers the labeled document to the
and la bels a user document and the **printer driver** buffers the labeled document to the actual
www.cs.utah.edu/~sjl/seminar/papers/te-cw-setuid.ps

[Coordinating Distributed Objects With Declarative Interfaces - Narinder Singh \(1995\)](#) (Correct) (9 citations)
For example, an activity might be a request to **print** a file, process a customer order, perform group
coupling (interdependence) between a **client** and **server**, and also shifts the burden of coordination from
since the file is in Latex format, and the **printer** Scribe can only **print** files in PostScript
cuiwww.unige.ch/OSG/people/vitek/Resources/Archive/oopslaSingh.ps.gz

[Reactor: An Object Behavioral Pattern for Demultiplexing and.. - Schmidt](#) (Correct)
128.252.165.44/~schmidt/Reactor.ps.gz

[Adaptive Scheduling with Client Resources to Improve WWW.. - Andresen, Yang \(1996\)](#) (Correct)
Scheduling with **Client Resources to Improve WWW Server Scalability** Daniel Andresen and Tao Yang
Daniel Andresen and Tao Yang Department of Computer Science University of California Santa Barbara,
Adaptive Scheduling with **Client Resources to Improve WWW Server Scalability**
www.cs.ucsb.edu/TRs/techreports/TRCS96-27.ps

[Fine-granularity Locking and Client-Based Logging.. - Panagos, Biliris.. \(1996\)](#) (Correct) (2 citations)
consistency and concurrency control in **client/server** DBMS architecture. In Proceedings of ACM SIGMOD
www.research.att.com/~biliris/publications/papers/96_edbt.ps

[An Adaptive Interactive Agent for Route Advice - Rogers, Fiechter, Langley \(1995\)](#) (Correct) (2 citations)
less communication infrastructure. The remote **servers** pro vide resourceintensive functions such as
route advice systems present a single route to the **driver** based on static evaluation criteria, with little
advice. 1 Introduction The state of the art in **computer** technology has advanced to the point where
www.isle.org/~langley/papers/route_aa95.ps

[Are "Disks in the Air" Just Pie in the Sky? - Zdonik \(1994\)](#) (Correct) (11 citations)
clients may often be disconnected from stationary **server** machines or may have only a lowbandwidth channel
on traffic patterns in a metropolitan area. **Drivers** carry a small, specialpurpose **computer** in their
Just Pie in the Sky? Stanley Zdonik Dept. of Computer Science Brown University Providence, RI 02912
www-cs.cs.umb.edu/mobile/papers/cs/zdonik.ps

[Inductive Analysis of the Internet Protocol TLS - Paulson \(1997\)](#) (Correct) (21 citations)

SSL (Secure Sockets Layer) The client and server machines exchange nonces and compute session Verifying and Reasoning about Programs C.2.2 [Computer- Communication Networks] Network using the protocol SSL (Secure Sockets Layer) The client and server machines exchange nonces and compute www.cl.cam.ac.uk/users/lcp/papers/tls.ps.gz

[The Geographical Anteserver: a Client/Server Architecture.. - Szmurlo, Gaio, Madelaine \(1997\) \(Correct\)](#)

The Geographical Anteserver: a Client/Server Architecture for GIS Paper proposal for EODEO'98

compiled into COrganizer Client Diver 1 Client Driver 2 Server Driver 3 Server Driver

The Geographical Anteserver: a Client/Server Architecture for GIS Paper proposal for

www.sbg.ac.at/geo/eogeo/Authors/Szmurlo/Graphics/eogeo.ps

[Object Interconnections - Time-Independent Invocation and.. - Schmidt, Vinoski \(Correct\)](#)

sent by a client and handled immediately by the server, with the server returning any response as soon

vinoski@iona.com Department of Computer Science IONA Technologies, Inc. Washington

the Messaging spec, CORBA requests were sent by a client and handled immediately by the server, with the

www.iona.com/hypian/vinoski/coll7.ps.Z

[Practical Development of Internet Prolog Applications using.. - Samhaa El-Beltagy \(Correct\)](#)

try {m_Socket =new Socket(host, port)m_os =new PrintStream(m_Socket.getOutputStream(get output

The approach presented makes use of clientserver architecture where the client is a relatively specific, and a user must download the plugin and install it before using it. Other approaches propose the client.info.umoncton.ca/~ipnet/proceedings97/beltagy.ps

[Implementing Lightweight Remote Procedure Calls in the Mach .. - Bourassa, Zahorjan \(1995\) \(Correct\) \(2 citations\)](#)

clear that the most common use of RPCs was for servers residing on the same machine [2]The Mach 3

zahorjan@cs.washington.edu Department of Computer Science and Engineering University of

procedure calls (RPCs) to provide services to client applications. Although the existing Mach 3 RPC

casaturn.kaist.ac.kr/~sikang/course/CS530/rpc/BZ95.ps.gz

[The Linux Printing Usage HOWTO - Komarinski \(1998\) \(Correct\)](#)

The Linux Printing Usage HOWTO by Mark Komarinski

limestone.uoregon.edu/woven/HOWTO/ps/Printing-Usage-HOWTO.ps.gz

[A Laboratory Environment For Experimenting With Xinu - Comer, Lin \(Correct\)](#)

control signals to the chip come from the parallel (printer) port of the console server (named Annex) Pins

frontend computers, backend computers, and server computers. The three groups of computers are

signals to the chip come from the parallel (printer) port of the console server (named Annex) Pins

gwen.cs.purdue.edu/pub/lin/xinulab.ps.Z

[A Capabilities Based Communication Model for High-Performance .. - Shridhar Diwan \(Correct\)](#)

and in formation resources implemented by remote servers. Different clients may have different

ftp.cs.indiana.edu/pub/sdiwan/capab.ps.gz

[Transactions in the Client-Server EOS Object Store - Biliris, Panagos \(1995\) \(Correct\)](#)

In this paper we have described the clientserver architecture of EOS and the concurrency control

Laboratories. In this paper we have described the clientserver architecture of EOS and the concurrency

www.research.att.com/~biliris/publications/papers/95_eos_trans_de.ps

[Color Printer Characterization Using a Computational.. - Hardeberg, Schmitt \(1998\) \(Correct\)](#)

Color Printer Characterization Using a Computational Geometry

Color Printer Characterization Using a Computational Geometry

or iii) strange behavior of either the printer driver software or the physical or chemical properties

www-imai.enst.fr/archive/Hardeberg/cic1997.ps

[First 20 documents](#) [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.PSU - Copyright [NEC](#) and [IST](#)



Advanced Search Preferences Language Tools Search Tips

"print server" printer driver install

Google Search

Web - Images - Groups - Directory - News

Searched the web for "print server" printer driver install computer client 1999. Results 21 - 30 of about 1,710. Search took 0.1

First Look at Windows 2000: Intellimirror & The Active Directory ...

... or a Boot disk with a Supported Network Adapter **driver**. ... but not for all printers on a **file/print server**. ... the Active Directory you can locate the **printer** at the ...

www.windows-help.net/windows2000/2000serv-ad.shtml - 33k - Cached - Similar pages

Sponsored Links

Printer Drivers Problems?

Free Scan for Correct and Current
Printer Drivers Fast and Easy
Printer-Drivers.drivershq.com
Interest: *****

[PDF] UNIPRINT CLIENT - ADMINISTRATOR'S GUIDE

File Format: PDF/Adobe Acrobat

... **client** prints using the UniPrint **printer driver**, a PDF ... **Client** or letting the UniPrint **Print Server** manage all ... The **install** procedure assumes that you are logged ...

www.uniprint.net/files/client/UniPrintClientAdmin.pdf - Similar pages

Virtual Print Driver

Save pdf file to tiff image using
powerful print driver
print-driver.com
Interest: *****

Mac OS 8.5 Cross-Platform Issues

... Create an AppleTalk **printer** share on the NT server (be sure Mac Printing service is started); **Install** LaserWriter **driver** 8.6.5 (latest version ...

www.macwindows.com/MacOS85.html - 48k - Cached - Similar pages

[More results from www.macwindows.com]

See your message here...

Linksys EPSX3 EtherFast 10/100 3-port PrintServer Electronics ...

... Printserver port and **install** your **printer driver** on each ... see that it is blocking access to the **linksys print server**. ... and my HP1218 **printer** simply will not work ...

www.electronics4shop.com/ShopCata/ELEC_8000030067/Linksys_EPSX3_EtherFast_10100_3port_PrintServer.htm - 29k -

Cached - Similar pages

<http://www.bankoi.com> --- FreeTech --- Windows NT 4.0

... Can't change network printers **driver**? ... Network **printer** can not be seen. ... Windows NT 4.0 **client** can't see Connect Link on a Windows 2000 internet **print server**? ...

www.bankoi.com/English/FreeTech/WinNT/00-07-26/entcannot.htm - 31k - Cached - Similar pages

Technology

... Windows NT 4.0-based **computer** to a shared **printer** on a Novell NetWare **print server** after you ... may be relevant to Application or Device Driver developers (ISVs ...

www.kbalertz.com/technology.aspx?tec=245&pNo=8 - 44k - Cached - Similar pages

[PDF] Access a Printer From Anywhere R

File Format: PDF/Adobe Acrobat - View as HTML

... links files to a spooling area on a **print server**. ... software unzips and installs this **print driver**, the **client** soft ... After users **install** an iPrint **printer** on their ...

www.novell.com/connectionmagazine/2001/08/iphint81.pdf - Similar pages

279 - Other Networks

... It's basically a **printer-sharing** and e-mail system, not ... can do nothing if some other **driver** or program ... any other workstation, but not on the **print server** itself ...

www.geos-infobase.de/ND_DOCS/279.HTM - 7k - Cached - Similar pages

[doc] MFPA Meeting, 3/31/1999 thru 4/1/1999

File Format: Microsoft Word 6 - View as HTML

www.mfpa.org/archives/meetings/1999/mr990331.doc - Similar pages

MC Press Online - Easy-to-use AS/400-Windows NT Report Sharing ...

... type and model—Choose a print **driver** that closely ... these steps, your Windows NT LPR **printer** will be ... services until you find the Microsoft TCP/IP **Print Server**. ...

www.mcpressonline.com/mc/.218b73ff!sectionID=.5bfbaea3 - 50k - Cached - Similar pages

◀ Gooooooooooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

"print server" printer driver install

[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2004 Google

L Number	Hits	Search Text	DB	Time stamp
1	358	719/321-327.ccls.	USPAT; IBM_TDB	2004/03/02 13:11
2	56	719/321-327.ccls. and 710/8,10.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/03/02 13:12
5	11	710/8,10.ccls. and ((print adj server) (printer adj server)) and ((install\$ config\$) with driver\$1) and ((user\$1 client\$1) near3 computer\$1)	USPAT; US-PGPUB; IBM_TDB	2004/03/02 13:15
3	15	719/321-327.ccls. and ((print adj server) (printer adj server)) and ((install\$ config\$) with driver\$1) and ((user\$1 client\$1) near3 computer\$1)	USPAT; US-PGPUB; IBM_TDB	2004/03/02 13:16
6	1		USPAT	2004/03/02 13:18
7	1		USPAT	2004/03/02 13:18
8	1		USPAT	2004/03/02 13:19
9	1		USPAT	2004/03/02 13:19
10	1		USPAT	2004/03/02 13:19
11	1		USPAT	2004/03/02 13:19
12	1		USPAT	2004/03/02 13:19
4	68	709/\$.ccls. and ((print adj server) (printer adj server)) and ((install\$ config\$) with driver\$1) and ((user\$1 client\$1) near3 computer\$1)	USPAT; US-PGPUB; IBM_TDB	2004/03/02 13:27
13	204	((print adj server) (printer adj server)) and ((install\$ config\$) with driver\$1) and ((user\$1 client\$1) near3 computer\$1)	USPAT; US-PGPUB; IBM_TDB	2004/03/02 13:28
-	23	709/327.ccls.	USPAT	2003/09/08 14:35
-	315	709/321-327.ccls.	USPAT	2003/04/11 15:00
-	5	709/321-327.ccls. and (print adj server)	USPAT	2003/04/11 14:58
-	1	"6094679".PN.	USPAT	2003/04/11 14:56
-	1	"6301710".PN.	USPAT	2003/04/11 14:56
-	1	"6301012".PN.	USPAT	2003/04/11 14:56
-	1	"6301012".PN.	USPAT	2003/04/11 14:57
-	1	"6246485".PN.	USPAT	2003/04/11 14:57
-	1	"6195171".PN.	USPAT	2003/04/11 14:57
-	7	709/321-327.ccls. and (print near3 server)	USPAT	2003/04/11 15:01
-	193	709/321-327.ccls. and network	USPAT	2003/04/11 14:59
-	164	(709/321-327.ccls. and network) and driver\$1	USPAT	2003/04/11 15:03
-	133	((709/321-327.ccls. and network) and driver\$1) and config\$	USPAT	2003/04/11 15:04
-	133	((709/321-327.ccls. and network) and driver\$1) and config\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/11 15:00
-	404	709/321-327.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/11 15:01
-	0	"6301710".PN. and (print near3 server)	USPAT	2003/04/11 15:01

-	7	709/321-327.ccls. and (print near3 server)	USPAT	2003/04/11 15:01
-	14	709/321-327.ccls. and (print near3 server)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/11 15:01
-	350	709/321-327.ccls. and driver\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/11 15:03
-	279	(709/321-327.ccls. and driver\$1) and config\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/11 15:04
-	26	((709/321-327.ccls. and driver\$1) and config\$) and (server\$1 same printer\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/11 15:08
-	1214	driver\$1 and (plug near3 play)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/11 15:08
-	751	driver\$1 and (plug near3 play)	USPAT; IBM_TDB	2003/04/11 15:09
-	196	(driver\$1 and (plug near3 play)) and (device near3 (ID identification identifier))	USPAT; IBM_TDB	2003/04/11 15:10
-	74	((driver\$1 and (plug near3 play)) and (device near3 (ID identification identifier))) and server	USPAT; IBM_TDB	2004/03/02 10:47
-	166	((driver\$1 and (plug near3 play)) and (device near3 (ID identification identifier))) and network	USPAT; IBM_TDB	2003/04/11 15:20
-	24	(plug\$1and\$1play PnP) and (print\$2 adj server\$1)	USPAT	2003/04/14 15:48
-	45	(plug\$1and\$1play PnP) and (print\$2 adj server\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/14 15:55
-	39	(plug\$1and\$1play PnP) and (print\$2 adj server\$1) and driver\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/14 15:58
-	512	((client\$1 user\$1) near4 (computer PC)) and (print\$2 adj server\$1) and driver\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/14 15:59
-	63	((client\$1 user\$1) near4 (computer PC)) and (print\$2 adj server\$1) and driver\$1 and (device adj2 (identifier identification ID))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/14 16:03
-	0	(print\$2 adj server) and (PnP plug-and-play) and driver\$1 and (device adj (identifier identification ID))	USPAT	2003/04/15 08:48
-	38	(print\$2 adj server) and driver\$1 and (device adj (identifier identification ID))	USPAT; EPO; JPO; IBM_TDB	2003/04/15 08:46
-	84	(print\$2 adj server) and ((select\$3 load\$3 download\$3) near3 driver\$1)	USPAT; EPO; JPO; IBM_TDB	2003/04/15 08:47
-	20	((print\$2 adj server) and ((select\$3 load\$3 download\$3) near3 driver\$1)) and (device adj (identifier identification ID))	USPAT; EPO; JPO; IBM_TDB	2003/04/15 08:47
-	26	(print\$2 adj server) and (PnP plug-and-play (plug\$1and\$1play))	USPAT	2003/04/15 08:51
-	17	709/310,321-327.ccls. and (print\$2 adj2 server\$1)	USPAT	2003/04/15 08:57

-	23	709/327.cccls.	USPAT	2003/04/15 08:56
-	268	709/310,321-327.cccls. and server\$1	USPAT	2003/04/15 08:58
-	1	"6178468".PN.	USPAT	2003/04/15 09:01
-	1	"6119186".PN.	USPAT	2003/04/15 09:03
-	1	"5974474".PN.	USPAT	2003/04/15 09:03
-	1	"5951684".PN.	USPAT	2003/04/15 09:03
-	1	"5870610".PN.	USPAT	2003/04/15 09:04
-	1	"5826090".PN.	USPAT	2003/04/15 09:04
-	1	"5742829".PN.	USPAT	2003/04/15 09:05
-	1	"5742829".PN.	USPAT	2003/04/15 09:05
-	1	"5787246".PN.	USPAT	2003/04/15 09:05
-	1	"5937170".PN.	USPAT	2003/04/15 09:09
-	1	"5898896".PN.	USPAT	2003/04/15 09:09
-	1	"5867690".PN.	USPAT	2003/04/15 09:09
-	1	"5829053".PN.	USPAT	2003/04/15 09:10
-	1	"5701483".PN.	USPAT	2003/04/15 09:10
-	1	"5701476".PN.	USPAT	2003/04/15 09:10
-	1	"5309563".PN.	USPAT	2003/04/15 09:11
-	1	"5404494".PN.	USPAT	2003/04/15 09:11
-	1	"5701476".PN.	USPAT	2003/04/15 09:11
-	99	(709/310,321-327.cccls. and server\$1) and driver\$1 and config\$	USPAT	2003/04/15 09:22
-	10	(709/310,321-327.cccls. and server\$1) and driver\$1 and (device adj (identifier identification ID))	USPAT	2003/04/15 09:22
-	1	5867730.pn.	USPAT	2003/04/15 11:15
-	0	5867730.pn. and server	USPAT	2003/04/15 10:48
-	1	6336152.pn. and server	USPAT	2003/04/15 10:48
-	1	6336152.pn. and server and driver	USPAT	2003/04/15 10:48
-	1	6336152.pn. and server and driver and (client computer)	USPAT	2003/04/15 10:49
-	0	6336152.pn. and (print near3 server) and driver and (client user)	USPAT	2003/04/15 10:49
-	1	6336152.pn. and server and driver and (client user)	USPAT	2003/04/15 10:49
-	2831	(first adj computer) same (second adj computer)	USPAT	2003/04/15 11:16
-	312	((first adj computer) same (second adj computer)).ab.	USPAT	2003/04/15 11:16
-	244	((first adj computer) same (second adj computer)).ab.) and device	USPAT	2003/04/15 11:16
-	58	((first adj computer) and (second adj computer) and device).ab.	USPAT	2003/04/15 11:17
-	19	((first adj computer) and (second adj computer) and device).ab.) and 709/\$.cccls.	USPAT	2003/04/15 12:00
-	20	(print adj server) and driver\$1 and (device near6 vendor)	USPAT	2003/04/15 12:16

-	59	(translat\$3 convert\$3 concat\$ remove\$3) near3 (device adj (identifier identification ID))	USPAT	2003/04/15 13:32
-	11	((translat\$3 convert\$3 concat\$ remove\$3) near3 (device adj (identifier identification ID))) and vendor	USPAT	2003/04/15 13:33
-	1	6301012.pn. and device and vendor	USPAT	2003/04/16 08:27
-	1	"6138178".PN.	USPAT	2003/04/16 08:26
-	1	"6112256".PN.	USPAT	2003/04/16 08:27
-	1	6263387.pn.	USPAT	2003/04/16 08:29
-	1	"6038624".PN.	USPAT	2003/04/16 08:28
-	1	"6012130".PN.	USPAT	2003/04/16 08:28
-	1	"5987627".PN.	USPAT	2003/04/16 08:28
-	1	"5987554".PN.	USPAT	2003/04/16 08:28
-	1	"5909568".PN.	USPAT	2003/04/16 08:28
-	1	"5909568".PN.	USPAT	2003/04/16 08:28
-	1	"5886424".PN.	USPAT	2003/04/16 08:28
-	1	"5892898".PN.	USPAT	2003/04/16 08:28
-	231	(print\$2 server\$1) and printer\$1 and (device adj (identifier identification ID)) and vendor	USPAT	2003/04/16 08:33
-	209	((print\$2 server\$1) and printer\$1 and (device adj (identifier identification ID)) and vendor) and config\$ and (user\$1 client\$1)	USPAT	2003/04/16 08:30
-	161	((print\$2 server\$1) and printer\$1 and (device adj (identifier identification ID)) and vendor) and config\$ and (user\$1 client\$1)) and driver\$1	USPAT	2003/04/16 08:31
-	9	(print\$2 adj server\$1) and printer\$1 and (device adj (identifier identification ID)) and vendor	USPAT	2003/04/16 08:33
-	0	6289371.pn. and driver	USPAT	2003/04/16 09:02
-	1	6301012.pn.	USPAT	2003/04/16 10:37
-	1	5867730.pn. and network	USPAT	2003/09/08 10:21
-	0	5822565.pn. and network	USPAT	2003/09/08 10:21
-	1	6301012.pn. and network	USPAT	2003/09/08 10:22
-	1	6301012.pn. and network and (print adj3 server)	USPAT	2003/09/08 10:23
-	1	6301012.pn. and network and (print adj server) and computer	USPAT	2003/09/08 10:23
-	77	(print adj server) and (printer\$1 (network adj device\$1)) and (LAN (local adj area adj2 network)) and (computer\$1 near5 driver\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/09/08 13:11
-	194	server\$1 and (printer\$1 (network adj device\$1)) and (LAN (local adj area adj2 network)) and (computer\$1 near3 driver\$1) and ((download select\$3 install\$3) near3 driver\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/09/08 13:12
-	11	(name adj server\$1) same (network adj device\$1)	USPAT	2003/09/08 14:25
-	4	((name adj server\$1) same (network adj device\$1)) and driver\$1	USPAT	2003/09/08 14:26

-	51	709/321-327.ccls. and (driver\$1 near3 computer\$1) and (LAN (local adj area adj2 network))	USPAT; US-PGPUB	2003/09/08 14:27
-	33	(709/321-327.ccls. and (driver\$1 near3 computer\$1) and (LAN (local adj area adj2 network))) and server\$1	USPAT; US-PGPUB	2003/09/08 14:27
-	53	(print adj2 server\$1) and (LAN (local adj area adj2 network)) and (((install\$3 select\$3 download\$3) near3 driver\$1) same computer\$1 same (user\$1 client\$1))	USPAT; US-PGPUB	2003/09/08 14:37
-	61	(print\$4 adj2 server\$1) and (LAN (local adj area adj2 network)) and (((install\$3 select\$3 download\$3) near3 driver\$1) same computer\$1 same (user\$1 client\$1))	USPAT; US-PGPUB	2003/09/08 14:37
-	1	"5604843".PN.	USPAT	2003/09/08 14:46
-	1	"5579087".PN.	USPAT	2003/09/08 14:46
-	1	"5566278".PN.	USPAT	2003/09/08 14:46
-	166	server\$1 and (network LAN (local adj area adj2 network)) and (((install\$3 select\$3 download\$3) near3 driver\$1) same computer\$1 same (user\$1 client\$1))	USPAT	2003/09/08 15:33
-	1	"5732282".PN.	USPAT	2003/09/08 15:40
-	1	"5701476".PN.	USPAT	2003/09/08 15:40
-	1888	((print\$4 adj server\$1) server\$1) and (network LAN (local adj area adj2 network)) and ((install\$3 select\$3 download\$3) near3 driver\$1)	USPAT; US-PGPUB	2003/09/08 17:35
-	475	((print\$4 adj server\$1) server\$1) and (network LAN (local adj area adj2 network)) and ((install\$3 select\$3 download\$3) near3 driver\$1) and ((user\$1 client\$1) same computer\$1 same (stor\$3 select\$3) same driver\$1)	USPAT; US-PGPUB	2003/09/08 17:36
-	1	5580177.pn.	USPAT	2003/09/09 14:03
-	2493	((print printer) adj server\$1) same printer\$1) and (client\$1 computer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 09:44
-	50	((((print printer) adj server\$1) same printer\$1) and (client\$1 computer\$1)) and 719/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 09:36
-	35	((((print printer) adj server\$1) same printer\$1) and (client\$1 computer\$1)) and 719/\$.ccls.) and driver\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 09:36
-	1077	((print printer) adj server\$1) same printer\$1) and ((client\$1 user\$1) near3 computer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 09:44
-	182	((((print printer) adj server\$1) same printer\$1) and ((client\$1 user\$1) near3 computer\$1)) and ((install\$ config\$) with driver\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 09:45
-	133	((((print printer) adj server\$1) same printer\$1) and ((client\$1 user\$1) near3 computer\$1)) and ((install\$ config\$) with driver\$1)) and (ID identifier identity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 09:45

-	144	(((((print printer) adj server\$1) same printer\$1) and ((client\$1 user\$1) near3 computer\$1)) and ((install\$ config\$) with driver\$1)) and (ID identifier identity identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 09:45
-	143	(((((print printer) adj server\$1) same printer\$1) and ((client\$1 user\$1) near3 computer\$1)) and ((install\$ config\$) with driver\$1)) and (ID identifier identity identification)) and network ((driver\$1 and (plug near3 play)) and ((device\$1 printer\$1) near3 (ID identification identifier))) and (server (print adj server) (printer adj server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 09:46
-	101	((driver\$1 and (plug near3 play)) and ((device\$1 printer\$1) near3 (ID identification identifier))) and (server (print adj server) (printer adj server\$1))	USPAT; IBM_TDB	2004/03/02 10:48
-	36	(driver\$1 near3 (install\$ config\$)) and (plug near3 play) and ((device\$1 printer\$1) near3 (ID identification identifier)) and (server (print adj server) (printer adj server\$1))	USPAT; IBM_TDB	2004/03/02 10:49
-	138	(driver\$1 near3 (install\$ config\$)) and (plug near3 play) and ((device\$1 printer\$1) near3 (ID identification identifier)) and (server (print adj server) (printer adj server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 10:49
-	89	((driver\$1 near3 (install\$ config\$)) and (plug near3 play) and ((device\$1 printer\$1) near3 (ID identification identifier)) and (server (print adj server) (printer adj server\$1))) and ((user\$1 client\$1) near3 computer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 10:49